


画地原子一覽表

街区番号 ( 76BL )

街区面積 =  $4514.20'$

換地面積 =  $4514.13'$

$[\Delta f] = -0.07'$



画地原子一覽表


街区番号 ( 76BL )



街区面積 = 4514.20'

換地面積 = 4514.11'

[ $\Delta f$ ] = -0.09'



倍 橫 距 面 積 計 算 (保)

1-1

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76- 1	BL- 76- 2	230 34 44	2.997	-1.903	-2.315	32507.787	-41979.346	-13.519	25.726657
BL- 76- 2	BL- 76-11	185 38 48	10.072	-10.023	-0.991	32497.764	-41980.337	-16.825	168.636975
BL- 76-11	BL- 76-35	94 51 28	13.545	-1.147	13.496	32496.617	-41966.841	-4.320	4.955040
BL- 76-35	BL- 76-24	4 45 41	12.216	12.174	1.014	32508.791	-41965.827	10.190	124.053060
BL- 76-24	BL- 76- 1	274 35 15	11.240	0.899	-11.204	32509.690	-41977.031	0.000	0.000000
								合 計	323.371732
								1/2	161.6858660
								面 積	161.68 M*M

面積計算【倍横距法】

画地番号 1-2 (保)

測点	視点	X	Y	方向角	距離	DX	DY	倍横距	倍面積
BL- 76-11	BL- 76-39	32497.764	-41980.337	185 38 54	0.517	-0.515	-0.051	-13.547	6.976705
BL- 76-39	BL- 76-40	32497.249	-41980.388	94 51 28	13.553	-1.148	13.504	-0.094	0.107912
BL- 76-40	BL- 76-35	32496.101	-41966.884	4 45 54	0.517	0.516	0.043	13.453	6.941748
BL- 76-35	BL- 76-11	32496.617	-41966.841	274 51 28	13.545	1.147	-13.496	0.000	0.000000
								合計	14.026365
								1/2	7.0131820

画地番号 14

測点	視点	X	Y	方向角	距離	DX	DY	倍横距	倍面積
BL- 76-39	BL- 76-12	32497.249	-41980.388	185 38 54	9.937	-9.889	-0.978	-14.482	143.212498
BL- 76-12	BL- 76-34	32487.360	-41981.366	94 35 12	13.706	-1.096	13.662	-1.798	1.970608
BL- 76-34	BL- 76-40	32486.264	-41967.704	4 45 54	9.872	9.837	0.820	12.684	124.772508
BL- 76-40	BL- 76-39	32496.101	-41966.884	274 51 28	13.553	1.148	-13.504	0.000	0.000000
								合計	269.955614
								1/2	134.9778070

点検面積 141.9909890 M2

倍 橫 距 面 積 計 算

2

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-24	BL- 76-26	184 45 48	25.276	-25.189	-2.099	32483.602	-41967.926	-10.257	258.363573
BL- 76-26	BL- 76-27	95 31 8	4.970	-0.478	4.947	32483.124	-41962.979	-7.409	3.541502
BL- 76-27	BL- 76-28	96 17 19	3.305	-0.362	3.285	32482.762	-41959.694	0.823	-0.297926
BL- 76-28	BL- 76-23	4 33 46	25.455	25.374	2.025	32508.136	-41957.669	6.133	155.618742
BL- 76-23	BL- 76-24	274 35 25	8.184	0.655	-8.158	32508.791	-41965.827	0.000	0.000000
								合 計	417.225891
								1/2	208.6129455
								面 積	208.61 M*M

倍 橫 距 面 積 計 算 (保)

3

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-23	BL- 76-28	184 33 46	25.455	-25.374	-2.025	32482.762	-41959.694	-9.846	249.832404
BL- 76-28	BL- 76-29	96 16 36	7.958	-0.870	7.910	32481.892	-41951.784	-3.961	3.446070
BL- 76-29	BL- 76-22	4 19 19	25.689	25.616	1.936	32507.508	-41949.848	5.885	150.750160
BL- 76-22	BL- 76-23	274 35 27	7.846	0.628	-7.821	32508.136	-41957.669	0.000	0.000000
								合 計	404.028634
								1/2	202.0143170
								面 積	202.01 M*M

### 倍 橫 距 面 積 計 算

4

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-22	BL- 76-29	184 19 19	25.689	-25.616	-1.936	32481.892	-41951.784	-20.925	536.014800
BL- 76-29	BL- 76-31	96 16 47	18.623	-2.037	18.511	32479.855	-41933.273	-4.350	8.860950
BL- 76-31	BL- 76-21	5 16 42	26.240	26.129	2.414	32505.984	-41930.859	16.575	433.088175
BL- 76-21	BL- 76-22	274 35 19	19.050	1.524	-18.989	32507.508	-41949.848	0.000	0.000000
								合 計	977.963925
								1/2	488.9819625
								面 積	488.98 M*M

倍 橫 距 面 積 計 算

5

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-21	BL- 76-31	185 16 42	26.240	-26.129	-2.414	32479.855	-41933.273	-19.705	514.871945
BL- 76-31	BL- 76-33	96 11 15	17.350	-1.870	17.249	32477.985	-41916.024	-4.870	9.106900
BL- 76-33	BL- 76-20	5 16 23	26.724	26.611	2.456	32504.596	-41913.568	14.835	394.774185
BL- 76-20	BL- 76-21	274 35 22	17.347	1.388	-17.291	32505.984	-41930.859	0.000	0.000000
								合 計	918.753030
								1/2	459.3765150
								面 積	459.37 M*M



## 倍 橫 距 面 積 計 算

6-1

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-20	BL- 76-33	185 16 23	26.724	-26.611	-2.456	32477.985	-41916.024	-35.888	955.015568
BL- 76-33	BL- 76-19	185 11 16	12.619	-12.567	-1.141	32465.418	-41917.165	-39.485	496.207995
BL- 76-19	BL- 76- 5	95 7 41	46.364	-4.144	46.178	32461.274	-41870.987	5.552	-23.007488
BL- 76- 5	BL- 76- 6	50 34 57	4.121	2.617	3.184	32463.891	-41867.803	54.914	143.709938
BL- 76- 6	BL- 76- 7	5 19 21	8.904	8.866	0.826	32472.757	-41866.977	58.924	522.420184
BL- 76- 7	BL- 76-36	5 39 38	7.736	7.698	0.763	32480.455	-41866.214	60.513	465.829074
BL- 76-36	BL- 76-37	273 30 11	16.661	1.018	-16.630	32481.473	-41882.844	44.646	45.449628
BL- 76-37	BL- 76-38	7 32 50	20.618	20.439	2.708	32501.912	-41880.136	30.724	627.967836
BL- 76-38	BL- 76-20	274 35 24	33.540	2.684	-33.432	32504.596	-41913.568	0.000	0.000000
								合 計	3233.592735
								1/2	1616.7963675
								面 積	1616.79 M*M

倍 橫 距 面 積 計 算

6-2

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-38	BL- 76-37	187 32 50	20.618	-20.439	-2.708	32481.473	-41882.844	-4.554	93.079206
BL- 76-37	BL- 76-36	93 30 11	16.661	-1.018	16.630	32480.455	-41866.214	9.368	-9.536624
BL- 76-36	BL- 76- 8	5 39 38	18.147	18.059	1.790	32498.514	-41864.424	27.788	501.823492
BL- 76- 8	BL- 76- 9	319 26 45	3.038	2.308	-1.975	32500.822	-41866.399	27.603	63.707724
BL- 76- 9	BL- 76-10	274 31 46	11.928	0.942	-11.891	32501.764	-41878.290	13.737	12.940254
BL- 76-10	BL- 76-38	274 35 2	1.852	0.148	-1.846	32501.912	-41880.136	0.000	0.000000
								合 計	662.014052
								1/2	331.0070260
								面 積	331.00 M*M

倍 橫 距 面 積 計 算 (保)

7

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍 橫 距	倍 面 積
BL- 76-32	BL- 76-18	185 41 45	12.867	-12.803	-1.277	32466.622	-41930.588	-14.564	186.462892
BL- 76-18	BL- 76-19	95 7 32	13.477	-1.204	13.423	32465.418	-41917.165	-2.418	2.911272
BL- 76-19	BL- 76-33	5 11 16	12.619	12.567	1.141	32477.985	-41916.024	12.146	152.638782
BL- 76-33	BL- 76-32	276 11 7	13.365	1.440	-13.287	32479.425	-41929.311	0.000	0.000000
								合 計	342.012946
								1/2	171.0064730
								面 積	171.00 M*M

## 倍 橫 距 面 積 計 算

8

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-30	BL- 76-17	185 5 2	13.192	-13.140	-1.169	32468.088	-41946.918	-13.645	179.295300
BL- 76-17	BL- 76-18	95 7 48	16.396	-1.466	16.330	32466.622	-41930.588	1.516	-2.222456
BL- 76-18	BL- 76-32	5 41 45	12.867	12.803	1.277	32479.425	-41929.311	19.123	244.831769
BL- 76-32	BL- 76-31	276 11 39	3.985	0.430	-3.962	32479.855	-41933.273	16.438	7.068340
BL- 76-31	BL- 76-30	276 16 49	12.551	1.373	-12.476	32481.228	-41945.749	0.000	0.000000
								合 計	428.972953
								1/2	214.4864765
								面 積	214.48 M*M

倍 橫 距 面 積 計 算 (保)

9

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-29	BL- 76-16	186 5 45	13.315	-13.240	-1.414	32468.652	-41953.198	-7.449	98.624760
BL- 76-16	BL- 76-17	95 7 55	6.305	-0.564	6.280	32468.088	-41946.918	-2.583	1.456812
BL- 76-17	BL- 76-30	5 5 2	13.192	13.140	1.169	32481.228	-41945.749	4.866	63.939240
BL- 76-30	BL- 76-29	276 16 43	6.071	0.664	-6.035	32481.892	-41951.784	0.000	0.000000
								合 計	164.020812
								1/2	82.0104060
								面 積	82.01 M*M

## 倍 橫 距 面 積 計 算

10

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-27	BL- 76-15	184 50 48	13.540	-13.492	-1.144	32469.632	-41964.123	-12.339	166.477788
BL- 76-15	BL- 76-16	95 7 33	10.969	-0.980	10.925	32468.652	-41953.198	-2.558	2.506840
BL- 76-16	BL- 76-29	6 5 45	13.315	13.240	1.414	32481.892	-41951.784	9.781	129.500440
BL- 76-29	BL- 76-27	276 16 48	11.263	1.232	-11.195	32483.124	-41962.979	0.000	0.000000
								合 計	298.485068
								1/2	149.2425340
								面 積	149.24 M*M

倍 橫 距 面 積 計 算 (保)

1 1

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-25	BL- 76-14	184 34 4	13.586	-13.543	-1.082	32470.123	-41969.600	-1.674	22.670982
BL- 76-14	BL- 76-15	95 7 22	5.499	-0.491	5.477	32469.632	-41964.123	2.721	-1.336011
BL- 76-15	BL- 76-27	4 50 48	13.540	13.492	1.144	32483.124	-41962.979	9.342	126.042264
BL- 76-27	BL- 76-26	275 31 8	4.970	0.478	-4.947	32483.602	-41967.926	5.539	2.647642
BL- 76-26	BL- 76-25	276 10 13	0.595	0.064	-0.592	32483.666	-41968.518	0.000	0.000000
								合 計	150.024877
								1/2	75.0124385
								面 積	75.01 M*M

倍 橫 距 面 積 計 算

1 2

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-13	BL- 76- 3	185 38 47	10.987	-10.934	-1.081	32474.152	-41982.672	-14.154	154.759836
BL- 76- 3	BL- 76- 4	140 30 10	3.997	-3.084	2.542	32471.068	-41980.130	-12.693	39.145212
BL- 76- 4	BL- 76-14	95 7 41	10.572	-0.945	10.530	32470.123	-41969.600	0.379	-0.358155
BL- 76-14	BL- 76-25	4 34 4	13.586	13.543	1.082	32483.666	-41968.518	11.991	162.394113
BL- 76-25	BL- 76-13	276 11 57	13.150	1.420	-13.073	32485.086	-41981.591	0.000	0.000000
								合 計	355.941006
								1/2	177.9705030
								面 積	177.97 M*M



倍 橫 距 面 積 計 算 (保)

13

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 76-12	BL- 76-13	185 39 3	2.285	-2.274	-0.225	32485.086	-41981.591	-13.887	31.579038
BL- 76-13	BL- 76-26	96 11 53	13.745	-1.484	13.665	32483.602	-41967.926	-0.447	0.663348
BL- 76-26	BL- 76-34	4 46 2	2.671	2.662	0.222	32486.264	-41967.704	13.440	35.777280
BL- 76-34	BL- 76-12	274 35 12	13.706	1.096	-13.662	32487.360	-41981.366	0.000	0.000000
								合 計	68.019666
								1/2	34.0098330
								面 積	34.00 M*M