

画地原子一覽表


街区番号 ( 114BL )

街区面積 = 3925.93

換地面積 = 3925.88

[Δf] = -0.05

水路 202.79



倍 橫 距 面 積 計 算

1

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL-114- 1	BL-114-13	236 39 19	24.533	-13.485	-20.494	31912.301	-41946.304	-29.662	399.992070
BL-114-13	BL-114-26	141 33 31	16.845	-13.194	10.473	31899.107	-41935.831	-39.683	523.577502
BL-114-26	BL-114-25	51 28 12	24.529	15.280	19.189	31914.387	-41916.642	-10.021	-153.120880
BL-114-25	BL-114- 1	321 11 27	14.628	11.399	-9.168	31925.786	-41925.810	0.000	0.000000
								合 計	770.448692
								1/2	385.2243460
								面 積	385.22 M*M

倍 橫 距 面 積 計 算

2

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL-114-25	BL-114-14	231 28 7	41.726	-25.993	-32.641	31888.394	-41949.283	-44.117	1146.733181
BL-114-14	BL-114-15	141 28 24	18.296	-14.313	11.396	31874.081	-41937.887	-65.362	935.526306
BL-114-15	BL-114-24	51 29 23	41.816	26.037	32.721	31900.118	-41905.166	-21.245	-553.156065
BL-114-24	BL-114-25	321 11 30	18.311	14.269	-11.476	31914.387	-41916.642	0.000	0.000000
								合 計	1529.103422
								1/2	764.5517110
								面 積	764.55 M*M

倍 橫 距 面 積 計 算

3

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL-114-24	BL-114-27	231 29 22	25.952	-16.159	-20.307	31883.959	-41925.473	-31.905	515.552895
BL-114-27	BL-114-29	141 33 3	20.398	-15.975	12.684	31867.984	-41912.789	-39.528	631.459800
BL-114-29	BL-114-30	141 22 46	10.717	-8.373	6.689	31859.611	-41906.100	-20.155	168.757815
BL-114-30	BL-114-37	40 47 49	3.242	2.454	2.118	31862.065	-41903.982	-11.348	-27.847992
BL-114-37	BL-114-36	42 6 14	4.996	3.707	3.350	31865.772	-41900.632	-5.880	-21.797160
BL-114-36	BL-114-35	43 22 18	5.002	3.636	3.435	31869.408	-41897.197	0.905	3.290580
BL-114-35	BL-114-34	44 30 50	4.999	3.565	3.505	31872.973	-41893.692	7.845	27.967425
BL-114-34	BL-114-33	45 52 33	4.996	3.478	3.586	31876.451	-41890.106	14.936	51.947408
BL-114-33	BL-114- <del>23</del> <sup>23</sup>	47 2 36	5.017	3.419	3.672	31879.870	-41886.434	22.194	75.881286
BL-114- <del>23</del> <sup>23</sup>	BL-114-12	309 14 47	9.212	5.828	-7.134	31885.698	-41893.568	18.732	109.170096
BL-114-12	BL-114-24	321 11 25	18.505	14.420	-11.598	31900.118	-41905.166	0.000	0.000000
								合 計	1534.382153
								1/2	767.1910765
								面 積	767.19 M*M

倍 橫 距 面 積 計 算

4

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL-114- <del>22</del> <sup>10</sup>	BL-114-41	227 8 0	5.642	-3.838	-4.135	31873.148	-41887.038	-21.326	81.849188
BL-114-41	BL-114-42	225 48 53	4.923	-3.431	-3.530	31869.717	-41890.568	-28.991	99.468121
BL-114-42	BL-114-43	224 29 54	4.927	-3.514	-3.453	31866.203	-41894.021	-35.974	126.412636
BL-114-43	BL-114-31	223 22 43	1.824	-1.326	-1.253	31864.877	-41895.274	-40.680	53.941680
BL-114-31	BL-114-32	129 7 8	24.133	-15.226	18.723	31849.651	-41876.551	-23.210	353.395460
BL-114-32	BL-114-21	39 11 52	17.150	13.291	10.839	31862.942	-41865.712	6.352	84.424432
BL-114-21	BL-114- <del>22</del> <sup>10</sup>	309 14 48	22.198	14.044	-17.191	31876.986	-41882.903	0.000	0.000000
								合 計	799.491517
								1/2	399.7457585
								面 積	399.74 M*M

倍 橫 距 面 積 計 算 (保)

5

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍 橫 距	倍 面 積
BL-114-21	BL-114-32	219 11 52	17.150	-13.291	-10.839	31849.651	-41876.551	-22.877	304.058207
BL-114-32	BL-114-20	129 7 4	6.506	-4.105	5.048	31845.546	-41871.503	-28.668	117.682140
BL-114-20	BL-114- 8	77 46 41	17.227	3.647	16.837	31849.193	-41854.666	-6.783	-24.737601
BL-114- 8	BL-114- 9	14 12 54	4.040	3.916	0.992	31853.109	-41853.674	11.046	43.256136
BL-114- 9	BL-114-21	309 14 35	15.544	9.833	-12.038	31862.942	-41865.712	0.000	0.000000
								合 計	440.258882
								1/2	220.1294410
								面 積	220.12 M*M

倍 橫 距 面 積 計 算

6

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL-114-31	BL-114-44	223 22 45	3.100	-2.253	-2.129	31862.624	-41897.403	-25.900	58.352700
BL-114-44	BL-114-45	222 3 8	4.922	-3.655	-3.297	31858.969	-41900.700	-31.326	114.496530
BL-114-45	BL-114-46	220 51 0	4.924	-3.725	-3.221	31855.244	-41903.921	-37.844	140.968900
BL-114-46	BL-114-47	219 40 7	4.924	-3.790	-3.143	31851.454	-41907.064	-44.208	167.548320
BL-114-47	BL-114-48	218 23 59	4.922	-3.857	-3.057	31847.597	-41910.121	-50.408	194.423656
BL-114-48	BL-114-49	217 8 23	4.927	-3.928	-2.975	31843.669	-41913.096	-56.440	221.696320
BL-114-49	BL-114- <sup>4</sup> 49	215 30 34	0.472	-0.384	-0.274	31843.285	-41913.370	-59.689	22.920576
BL-114- <sup>4</sup> 49	BL-114- 5	141 28 18	5.791	-4.530	3.607	31838.755	-41909.763	-56.356	255.292680
BL-114- 5	BL-114- 6	107 38 34	3.019	-0.915	2.877	31837.840	-41906.886	-49.872	45.632880
BL-114- 6	BL-114- 7	77 40 19	22.163	4.732	21.652	31842.572	-41885.234	-25.343	-119.923076
BL-114- 7	BL-114-20	77 46 45	14.049	2.974	13.731	31845.546	-41871.503	10.040	29.858960
BL-114-20	BL-114-31	309 7 7	30.639	19.331	-23.771	31864.877	-41895.274	0.000	0.000000
								合 計	1131.268446
								1/2	565.6342230
								面 積	565.63 M*M

倍 橫 距 面 積 計 算

7

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL-114-29	BL-114-17	231 34 33	15.838	-9.843	-12.408	31858.141	-41925.197	-19.097	187.971771
BL-114-17	BL-114- <del>18</del> <sup>3</sup>	141 28 30	14.328	-11.209	8.924	31846.932	-41916.273	-22.581	253.110429
BL-114- <del>18</del> <sup>3</sup>	BL-114-40	37 12 57	4.505	3.588	2.725	31850.520	-41913.548	-10.932	-39.224016
BL-114-40	BL-114-39	38 29 36	4.998	3.912	3.111	31854.432	-41910.437	-5.096	-19.935552
BL-114-39	BL-114-38	39 39 0	4.998	3.848	3.189	31858.280	-41907.248	1.204	4.632992
BL-114-38	BL-114-30	40 46 41	1.758	1.331	1.148	31859.611	-41906.100	5.541	7.375071
BL-114-30	BL-114-29	321 22 46	10.717	8.373	-6.689	31867.984	-41912.789	0.000	0.000000
								合 計	393.930695
								1/2	196.9653475
								面 積	196.96 M <sup>2</sup>



倍 橫 距 面 積 計 算

8

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL-114-28	BL-114-16	231 32 40	15.851	-9.858	-12.413	31866.306	-41931.697	-18.908	186.395064
BL-114-16	BL-114-17	141 28 39	10.436	-8.165	6.500	31858.141	-41925.197	-24.821	202.663465
BL-114-17	BL-114-29	51 34 33	15.838	9.843	12.408	31867.984	-41912.789	-5.913	-58.201659
BL-114-29	BL-114-28	321 33 0	10.445	8.180	-6.495	31876.164	-41919.284	0.000	0.000000
								合 計	330.856870
								1/2	165.4284350
								面 積	165.42 M*M

倍 橫 距 面 積 計 算

9

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL-114-27	BL-114-15	231 29 25	15.864	-9.878	-12.414	31874.081	-41937.887	-18.603	183.760434
BL-114-15	BL-114-16	141 28 31	9.938	-7.775	6.190	31866.306	-41931.697	-24.827	193.029925
BL-114-16	BL-114-28	51 32 40	15.851	9.858	12.413	31876.164	-41919.284	-6.224	-61.356192
BL-114-28	BL-114-27	321 33 5	9.953	7.795	-6.189	31883.959	-41925.473	0.000	0.000000
								合 計	315.434167
								1/2	157.7170835
								面 積	157.71 M*M

倍 橫 距 面 積 計 算

10

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL-114-13	BL-114- 2	236 39 10	17.291	-9.505	-14.444	31902.796	-41960.748	-24.917	236.836085
BL-114- 2	BL-114-14	141 28 40	18.408	-14.402	11.465	31888.394	-41949.283	-27.896	401.758192
BL-114-14	BL-114-26	51 28 0	17.197	10.713	13.452	31899.107	-41935.831	-2.979	-31.914027
BL-114-26	BL-114-13	321 33 31	16.845	13.194	-10.473	31912.301	-41946.304	0.000	0.000000
								合 計	606.680250
								1/2	303.3401250
								面 積	303.34 M*M

倍 橫 距 面 積 計 算

水路 8-3

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍 橫 距	倍 面 積
BL-114- <del>23</del> <sup>11</sup>	BL-114-33	227 2 36	5.017	-3.419	-3.672	31876.451	-41890.106	-7.203	24.627057
BL-114-33	BL-114-34	225 52 33	4.996	-3.478	-3.586	31872.973	-41893.692	-14.461	50.295358
BL-114-34	BL-114-35	224 30 50	4.999	-3.565	-3.505	31869.408	-41897.197	-21.552	76.832880
BL-114-35	BL-114-36	223 22 18	5.002	-3.636	-3.435	31865.772	-41900.632	-28.492	103.596912
BL-114-36	BL-114-37	222 6 14	4.996	-3.707	-3.350	31862.065	-41903.982	-35.277	130.771839
BL-114-37	BL-114-38	220 47 25	4.999	-3.785	-3.266	31858.280	-41907.248	-41.893	158.565005
BL-114-38	BL-114-39	219 39 0	4.998	-3.848	-3.189	31854.432	-41910.437	-48.348	186.043104
BL-114-39	BL-114-40	218 29 36	4.998	-3.912	-3.111	31850.520	-41913.548	-54.648	213.782976
BL-114-40	BL-114- <del>18</del> <sup>3</sup>	217 12 57	4.505	-3.588	-2.725	31846.932	-41916.273	-60.484	217.016592
BL-114- <del>18</del> <sup>3</sup>	BL-114- <del>19</del> <sup>4</sup>	141 28 49	4.661	-3.647	2.903	31843.285	-41913.370	-60.306	219.935982
BL-114- <del>19</del> <sup>4</sup>	BL-114-49	35 30 34	0.472	0.384	0.274	31843.669	-41913.096	-57.129	-21.937536
BL-114-49	BL-114-48	37 8 23	4.927	3.928	2.975	31847.597	-41910.121	-53.880	-211.640640
BL-114-48	BL-114-47	38 23 59	4.922	3.857	3.057	31851.454	-41907.064	-47.848	-184.549736
BL-114-47	BL-114-46	39 40 7	4.924	3.790	3.143	31855.244	-41903.921	-41.648	-157.845920
BL-114-46	BL-114-45	40 51 0	4.924	3.725	3.221	31858.969	-41900.700	-35.284	-131.432900
BL-114-45	BL-114-44	42 3 8	4.922	3.655	3.297	31862.624	-41897.403	-28.766	-105.139730
BL-114-44	BL-114-43	43 22 44	4.924	3.579	3.382	31866.203	-41894.021	-22.087	-79.049373
BL-114-43	BL-114-42	44 29 54	4.927	3.514	3.453	31869.717	-41890.568	-15.252	-53.595528
BL-114-42	BL-114-41	45 48 53	4.923	3.431	3.530	31873.148	-41887.038	-8.269	-28.370939
BL-114-41	BL-114- <del>22</del> <sup>10</sup>	47 8 0	5.642	3.838	4.135	31876.986	-41882.903	-0.604	-2.318152
BL-114- <del>22</del> <sup>10</sup>	BL-114- <del>23</del> <sup>10</sup>	309 14 27	4.559	2.884	-3.531	31879.870	-41886.434	0.000	0.000000
								合 計	405.587251
								1/2	202.7936255
								面 積	202.79 M*M