


画地原子一覽表

街区番号 (89BL)

街区面積 = 7787.66 .

換地面積 = 7787.54 .

[Δf] = -0.12 .



倍 橫 距 面 積 計 算

1

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-29	BL- 89-30	198 28 58	3.031	-2.875	-0.961	32339.331	-42071.804	-3.871	11.129125
BL- 89-30	BL- 89-46	145 23 28	23.589	-19.415	13.398	32319.916	-42058.406	8.566	-166.308890
BL- 89-46	BL- 89-56	74 40 41	14.895	3.936	14.366	32323.852	-42044.040	36.330	142.994880
BL- 89-56	BL- 89-45	344 40 32	25.946	25.023	-6.857	32348.875	-42050.897	43.839	1096.983297
BL- 89-45	BL- 89-26	252 38 25	4.297	-1.282	-4.101	32347.593	-42054.998	32.881	-42.153442
BL- 89-26	BL- 89-27	251 49 41	6.823	-2.128	-6.483	32345.465	-42061.481	22.297	-47.448016
BL- 89-27	BL- 89-28	251 1 43	6.823	-2.218	-6.452	32343.247	-42067.933	9.362	-20.764916
BL- 89-28	BL- 89-29	250 18 58	3.091	-1.041	-2.910	32342.206	-42070.843	0.000	0.000000
								合 計	974.432038
								1/2	487.2160190
								面 積	487.21 M*M

倍 橫 距 面 積 計 算

2

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-45	BL- 89-56	164 40 32	25.946	-25.023	6.857	32323.852	-42044.040	4.449	-111.327327
BL- 89-56	BL- 89-57	74 40 24	16.714	4.418	16.120	32328.270	-42027.920	27.426	121.168068
BL- 89-57	BL- 89-44	344 41 30	26.340	25.405	-6.954	32353.675	-42034.874	36.592	929.619760
BL- 89-44	BL- 89-23	254 28 33	0.560	-0.150	-0.540	32353.525	-42035.414	29.098	-4.364700
BL- 89-23	BL- 89-24	253 42 39	6.824	-1.914	-6.550	32351.611	-42041.964	22.008	-42.123312
BL- 89-24	BL- 89-25	253 5 44	6.820	-1.983	-6.525	32349.628	-42048.489	8.933	-17.714139
BL- 89-25	BL- 89-45	252 38 6	2.523	-0.753	-2.408	32348.875	-42050.897	0.000	0.000000
								合 計	875.258350
								1/2	437.6291750
								面 積	437.62 M*M

倍 橫 距 面 積 計 算

3

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-44	BL- 89-57	164 41 30	26.340	-25.405	6.954	32328.270	-42027.920	0.921	-23.398005
BL- 89-57	BL- 89-59	74 40 42	9.957	2.631	9.603	32330.901	-42018.317	17.478	45.984618
BL- 89-59	BL- 89-43	344 42 22	26.322	25.390	-6.943	32356.291	-42025.260	20.138	511.303820
BL- 89-43	BL- 89-22	255 13 55	3.703	-0.944	-3.581	32355.347	-42028.841	9.614	-9.075616
BL- 89-22	BL- 89-44	254 30 35	6.260	-1.672	-6.033	32353.675	-42034.874	0.000	0.000000
								合 計	524.814817
								1/2	262.4074085
								面 積	262.40 M*M

倍 橫 距 面 積 計 算

4

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-43	BL- 89-59	164 42 22	26.322	-25.390	6.943	32330.901	-42018.317	3.928	-99.731920
BL- 89-59	BL- 89-62	74 40 31	17.730	4.686	17.100	32335.587	-42001.217	27.971	131.072106
BL- 89-62	BL- 89-41	344 41 29	25.941	25.021	-6.849	32360.608	-42008.066	38.222	956.352662
BL- 89-41	BL- 89-19	256 57 26	0.979	-0.221	-0.954	32360.387	-42009.020	30.419	-6.722599
BL- 89-19	BL- 89-20	256 17 32	6.811	-1.614	-6.617	32358.773	-42015.637	22.848	-36.876672
BL- 89-20	BL- 89-21	255 40 43	6.820	-1.687	-6.608	32357.086	-42022.245	9.623	-16.234001
BL- 89-21	BL- 89-43	255 13 42	3.118	-0.795	-3.015	32356.291	-42025.260	0.000	0.000000
								合 計	927.859576
								1/2	463.9297880
								面 積	463.92 M*M

倍 橫 距 面 積 計 算

5

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-41	BL- 89-62	164 41 29	25.941	-25.021	6.849	32335.587	-42001.217	1.160	-29.024360
BL- 89-62	BL- 89-64	74 40 33	30.248	7.994	29.173	32343.581	-41972.044	37.182	297.232908
BL- 89-64	BL- 89-40	344 43 4	24.046	23.196	-6.338	32366.777	-41978.382	60.017	1392.154332
BL- 89-40	BL- 89-15	259 20 30	4.017	-0.743	-3.948	32366.034	-41982.330	49.731	-36.950133
BL- 89-15	BL- 89-16	259 3 56	6.822	-1.294	-6.698	32364.740	-41989.028	39.085	-50.575990
BL- 89-16	BL- 89-17	258 26 35	6.823	-1.367	-6.685	32363.373	-41995.713	25.702	-35.134634
BL- 89-17	BL- 89-18	257 43 58	6.820	-1.449	-6.664	32361.924	-42002.377	12.353	-17.899497
BL- 89-18	BL- 89-41	256 58 31	5.839	-1.316	-5.689	32360.608	-42008.066	0.000	0.000000
								合 計	1519.802626
								1/2	759.9013130
								面 積	759.90 M*M

倍 橫 距 面 積 計 算

6

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-40	BL- 89-64	164 43 4	24.046	-23.196	6.338	32343.581	-41972.044	3.587	-83.204052
BL- 89-64	BL- 89-66	74 40 39	16.878	4.460	16.278	32348.041	-41955.766	26.203	116.865380
BL- 89-66	BL- 89-69	81 0 1	8.694	1.360	8.587	32349.401	-41947.179	51.068	69.452480
BL- 89-69	BL- 89-39	351 1 18	22.017	21.747	-3.436	32371.148	-41950.615	56.219	1222.594593
BL- 89-39	BL- 89-11	262 35 53	4.851	-0.625	-4.811	32370.523	-41955.426	47.972	-29.982500
BL- 89-11	BL- 89-12	261 44 17	6.820	-0.980	-6.749	32369.543	-41962.175	36.412	-35.683760
BL- 89-12	BL- 89-13	260 51 24	6.822	-1.084	-6.735	32368.459	-41968.910	22.928	-24.853952
BL- 89-13	BL- 89-14	260 10 28	6.821	-1.164	-6.721	32367.295	-41975.631	9.472	-11.025408
BL- 89-14	BL- 89-40	259 20 11	2.799	-0.518	-2.751	32366.777	-41978.382	0.000	0.000000
								合 計	1224.162781
								1/2	612.0813905
								面 積	612.08 M*M

倍 橫 距 面 積 計 算

7

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-39	BL- 89-69	171 1 18	22.017	-21.747	3.436	32349.401	-41947.179	1.494	-32.490018
BL- 89-69	BL- 89-72	80 59 54	27.457	4.296	27.119	32353.697	-41920.060	32.049	137.682504
BL- 89-72	BL- 89-38	350 59 30	20.648	20.393	-3.233	32374.090	-41923.293	55.935	1140.682455
BL- 89-38	BL- 89- 7	265 6 10	5.060	-0.432	-5.042	32373.658	-41928.335	47.660	-20.589120
BL- 89- 7	BL- 89- 8	264 10 45	6.823	-0.692	-6.788	32372.966	-41935.123	35.830	-24.794360
BL- 89- 8	BL- 89- 9	263 36 8	6.820	-0.760	-6.778	32372.206	-41941.901	22.264	-16.920640
BL- 89- 9	BL- 89-10	263 13 15	6.820	-0.805	-6.772	32371.401	-41948.673	8.714	-7.014770
BL- 89-10	BL- 89-39	262 34 39	1.958	-0.253	-1.942	32371.148	-41950.615	0.000	0.000000
								合 計	1176.556051
								1/2	588.2780255
								面 積	588.27 M*M

倍 橫 距 面 積 計 算

8

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-38	BL- 89-55	170 59 26	39.917	-39.425	6.251	32334.665	-41917.042	4.496	-177.254800
BL- 89-55	BL- 89-34	80 59 21	32.926	5.157	32.520	32339.822	-41884.522	43.267	223.127919
BL- 89-34	BL- 89-35	43 18 25	3.973	2.891	2.725	32342.713	-41881.797	78.512	226.978192
BL- 89-35	BL- 89-36	6 21 9	29.825	29.642	3.300	32372.355	-41878.497	84.537	2505.845754
BL- 89-36	BL- 89-37	318 21 56	4.999	3.736	-3.321	32376.091	-41881.818	84.516	315.751776
BL- 89-37	BL- 89- 1	269 1 10	5.669	-0.097	-5.668	32375.994	-41887.486	75.527	-7.326119
BL- 89- 1	BL- 89- 2	268 15 40	6.822	-0.207	-6.819	32375.787	-41894.305	63.040	-13.049280
BL- 89- 2	BL- 89- 3	267 46 15	6.813	-0.265	-6.808	32375.522	-41901.113	49.413	-13.094445
BL- 89- 3	BL- 89- 4	267 20 43	6.822	-0.316	-6.815	32375.206	-41907.928	35.790	-11.309640
BL- 89- 4	BL- 89- 5	266 25 42	6.822	-0.425	-6.809	32374.781	-41914.737	22.166	-9.420550
BL- 89- 5	BL- 89- 6	265 27 7	6.822	-0.541	-6.801	32374.240	-41921.538	8.556	-4.628796
BL- 89- 6	BL- 89-38	265 6 53	1.761	-0.150	-1.755	32374.090	-41923.293	0.000	0.000000
								合 計	3035.620011
								1/2	1517.8100055
								面 積	1517.81 M*M

倍 橫 距 面 積 計 算

9

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-71	BL- 89-54	171 4 40	19.272	-19.039	2.989	32332.165	-41932.809	-12.749	242.728211
BL- 89-54	BL- 89-55	80 59 25	15.964	2.500	15.767	32334.665	-41917.042	6.007	15.017500
BL- 89-55	BL- 89-72	350 59 22	19.270	19.032	-3.018	32353.697	-41920.060	18.756	356.964192
BL- 89-72	BL- 89-71	260 59 56	15.934	-2.493	-15.738	32351.204	-41935.798	0.000	0.000000
								合 計	614.709903
								1/2	307.3549515
								面 積	307.35 M*M

倍 橫 距 面 積 計 算

10

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-70	BL- 89-53	171 2 42	19.273	-19.038	3.000	32331.844	-41934.833	0.965	-18.371670
BL- 89-53	BL- 89-54	80 59 17	2.049	0.321	2.024	32332.165	-41932.809	5.989	1.922469
BL- 89-54	BL- 89-71	351 4 40	19.272	19.039	-2.989	32351.204	-41935.798	5.024	95.651936
BL- 89-71	BL- 89-70	261 0 31	2.060	-0.322	-2.035	32350.882	-41937.833	0.000	0.000000
								合 計	79.202735
								1/2	39.6013675
								面 積	39.60 M*M

倍 橫 距 面 積 計 算

1 1

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-67	BL- 89-51	171 4 33	19.274	-19.041	2.990	32329.889	-41947.162	-9.329	177.633489
BL- 89-51	BL- 89-53	80 59 23	12.483	1.955	12.329	32331.844	-41934.833	5.990	11.710450
BL- 89-53	BL- 89-70	351 2 42	19.273	19.038	-3.000	32350.882	-41937.833	15.319	291.643122
BL- 89-70	BL- 89-67	260 59 46	12.473	-1.952	-12.319	32348.930	-41950.152	0.000	0.000000
								合 計	480.987061
								1/2	240.4935305
								面 積	240.49 M*M

倍 橫 距 面 積 計 算

12

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-65	BL- 89-50	164 40 5	19.273	-18.587	5.096	32328.098	-41955.619	0.147	-2.732289
BL- 89-50	BL- 89-33	74 42 28	4.061	1.071	3.917	32329.169	-41951.702	9.160	9.810360
BL- 89-33	BL- 89-51	80 59 19	4.597	0.720	4.540	32329.889	-41947.162	17.617	12.684240
BL- 89-51	BL- 89-67	351 4 33	19.274	19.041	-2.990	32348.930	-41950.152	19.167	364.958847
BL- 89-67	BL- 89-66	261 0 6	5.684	-0.889	-5.614	32348.041	-41955.766	10.563	-9.390507
BL- 89-66	BL- 89-65	254 40 38	5.131	-1.356	-4.949	32346.685	-41960.715	0.000	0.000000
								合 計	375.330651
								1/2	187.6653255
								面 積	187.66 M*M

倍 橫 距 面 積 計 算

13

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-63	BL- 89-49	164 45 10	19.256	-18.578	5.064	32319.925	-41985.509	-24.794	460.622932
BL- 89-49	BL- 89-50	74 42 26	30.987	8.173	29.890	32328.098	-41955.619	10.160	83.037680
BL- 89-50	BL- 89-65	344 40 5	19.273	18.587	-5.096	32346.685	-41960.715	34.954	649.689998
BL- 89-65	BL- 89-63	254 40 31	30.959	-8.182	-29.858	32338.503	-41990.573	0.000	0.000000
								合 計	1193.350610
								1/2	596.6753050
								面 積	596.67 M*M

倍 橫 距 面 積 計 算

14

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-61	BL- 89-48	164 50 7	19.247	-18.577	5.035	32315.018	-42003.451	-12.878	239.234606
BL- 89-48	BL- 89-49	74 42 15	18.601	4.907	17.942	32319.925	-41985.509	10.099	49.555793
BL- 89-49	BL- 89-63	344 45 10	19.256	18.578	-5.064	32338.503	-41990.573	22.977	426.866706
BL- 89-63	BL- 89-61	254 40 39	18.573	-4.908	-17.913	32333.595	-42008.486	0.000	0.000000
								合 計	715.657105
								1/2	357.828525
								面 積	357.82 M*M

倍 橫 距 面 積 計 算

15

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-58	BL- 89-47	164 50 44	19.237	-18.568	5.029	32310.350	-42020.524	-12.038	223.521584
BL- 89-47	BL- 89-48	74 42 30	17.700	4.668	17.073	32315.018	-42003.451	10.064	46.978752
BL- 89-48	BL- 89-61	344 50 7	19.247	18.577	-5.035	32333.595	-42008.486	22.102	410.588854
BL- 89-61	BL- 89-58	254 40 30	17.696	-4.677	-17.067	32328.918	-42025.553	0.000	0.000000
								合 計	681.089190
								1/2	340.5445950
								面 積	340.54 M*M

倍 橫 距 面 積 計 算

16

視 点	測 点	方 向 角	距 離	DX	DY	X	Y	倍橫距	倍 面 積
BL- 89-46	BL- 89-31	145 23 28	18.489	-15.217	10.501	32304.699	-42047.905	-22.352	340.130384
BL- 89-31	BL- 89-32	110 48 13	3.007	-1.068	2.811	32303.631	-42045.094	-9.040	9.654720
BL- 89-32	BL- 89-47	74 42 20	25.472	6.719	24.570	32310.350	-42020.524	18.341	123.233179
BL- 89-47	BL- 89-58	344 50 44	19.237	18.568	-5.029	32328.918	-42025.553	37.882	703.392976
BL- 89-58	BL- 89-46	254 40 36	34.064	-9.002	-32.853	32319.916	-42058.406	0.000	0.000000
								合 計	1176.411259
								1/2	588.2056295
								面 積	588.20 M*M